

ADVERTISED BID CITY OF ST. LOUIS

OFFICE OF THE SUPPLY COMMISSIONER
1200 MARKET ST RM 324
ST LOUIS MO 63103-2842



REQUEST FOR QUOTE
41514Q1053

PAGE
1

ADDRESS CORRESPONDENCE TO

... We agree to furnish the following articles to the City of St. Louis,
free of any extra charges, in the quantity named and at the prices respectively
stated:

T
O

S
H
I
P
T
O

PUB. UTILITIES-WATER DIVISION
DISTRIBUTION SECTION
STOREROOM
4600 MCREE AVENUE
ST LOUIS MO
63110

SEE TERMS AND CONDITIONS ON THE REVERSE SIDE OF THIS QUOTATION SHEET.

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/26/13				

REPLY DUE BY: 10/22/13 12:00 O'CLOCK NOON

NEEDED BY DATE	QUANTITY	UNIT	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
	REQ LINE NUMBER : 0001					
	1	EACH	CITY	415BACKHOE13		
	CURRENT YEAR MODEL BACKHOE LOADER (SPECS ATTACHED)					
	ABSOLUTELY ANY DEVIATION FROM THE ORIGINAL SPECIFICATIONS WILL NOT BE ACCEPTABLE					
	DELIVER TO: CITY OF ST. LOUIS--WATER DIVISION DISTRIBUTION STOREROOM 4600 MCKREE, ST. LOUIS, MO 63110					
	CONTACT: CLAYTON HAWKINS 314-633-9074					
	/SFH					
	***** WEBSITE INFORMATION *****					
	* TO DOWNLOAD SUPPLY BIDS GO TO:					
	* HTTP://STLOUIS-MO.GOV/SUPPLY/BID-NOTICES.CFM					
	* CLICK ON BID NOTICES					

	OR ACCEPTABLE EQUAL CLEARLY STATE MFG., NO. & BRAND					
	VENODR MUST SUBMIT DETAILED INFORMATION WITH BID ON PRODUCT OFFERED					
					TOTAL →	

NAME OF FIRM	STATE DELIVERY: CALENDAR DAYS	COMPTROLLER	Date
ADDRESS			
CITY	SIGNED BY:	SUPPLY COMMISSIONER	Date
PHONE			
Area Code ()			

ADVERTISED BID CITY OF ST. LOUIS

OFFICE OF THE SUPPLY COMMISSIONER

1200 MARKET ST RM 324

ST LOUIS MO 63103-2842

... We agree to furnish the following articles to the City of St. Louis,
free of any extra charges, in the quantity named and at the prices respectively
stated:



REQUEST FOR QUOTE

41514Q1053

PAGE

2

ADDRESS CORRESPONDENCE TO

T
O

S
H
I
P
T
O

PUB. UTILITIES-WATER DIVISION
DISTRIBUTION SECTION
STOREROOM
4600 MCREE AVENUE
ST LOUIS MO
63110

SEE TERMS AND CONDITIONS ON THE REVERSE SIDE OF THIS QUOTATION SHEET.

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/26/13				

REPLY DUE BY: 10/22/13 12:00 O'CLOCK NOON

NEEDED BY DATE	QUANTITY	UNIT	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>IF FREIGHT OR DELIVERY CHARGE TO BE BILLED, IT MUST BE INCLUDED IN THIS QUOTE OR IT WILL NOT BE PAID. () FREIGHT IS INCLUDED IN THE QUOTED UNIT PRICE. () WE WILL CHARGE FREIGHT/DELIVERY IN THE AMOUNT OF: \$ _____</p> <p>IT IS THE POLICY OF THE SUPPLY DIVISION THAT ALL BIDS/ CONTRACTS AWARDED IN THE AMOUNT OF \$500.00 AND ABOVE ADHERE TO THE MAYOR'S EXECUTIVE ORDER #28 WHICH RE- QUIRES MINIMUM UTILIZATION OF MINORITY OWNED BUSINESSES OF 25% AND WOMEN OWNED BUSINESSES OF 5%. ALL VENDORS MUST COMPLY WITH THIS POLICY AND ALL OTHER PROVISIONS OF EXECUTIVE ORDER NO. 28.</p> <p>LIST ITEMS MANUFACTURED, ASSEMBLED OR PRODUCED IN A FOREIGN COUNTRY ON THIS FORM.</p> <p>**BID REQUEST AND ATTACHED FORM/S MUST BE COMPLETELY FILLED OUT AND SIGNED. IF NOT, BID MAY BE REJECTED.** PLEASE QUOTE PRICES ON THIS FORM AND SIGN BID.</p> <p>* VENDORS SHOULD NOTE IF THEY ARE MINORITY OR WOMEN OWNED BUSINESS (CHECK) MBE _____ WBE _____</p> <p>ALL BIDS MUST INCLUDE COMPLETED "BUY AMERICAN" AND "MINORITY/WOMEN UTILIZATION STATEMENT" FORMS, AND ANY SUPPLEMENTAL INFORMATION REQUIRED. ANY QUESTIONS SHOULD BE DIRECTED TO THE BUYER.</p>						
TOTAL →						

NAME OF FIRM		STATE DELIVERY: CALENDAR DAYS	COMPTROLLER	Date
ADDRESS				
CITY	STATE	SIGNED BY:	SUPPLY COMMISSIONER	Date
PHONE Area Code ()				

ADVERTISED BID CITY OF ST. LOUIS

OFFICE OF THE SUPPLY COMMISSIONER
1200 MARKET ST RM 324
ST LOUIS MO 63103-2842



REQUEST FOR QUOTE
41514Q1053

PAGE
3

ADDRESS CORRESPONDENCE TO

... We agree to furnish the following articles to the City of St. Louis,
free of any extra charges, in the quantity named and at the prices respectively
stated:

T
O

S
H
I
P
T
O

PUB. UTILITIES-WATER DIVISION
DISTRIBUTION SECTION
STOREROOM
4600 MCREE AVENUE
ST LOUIS MO
63110

SEE TERMS AND CONDITIONS ON THE REVERSE SIDE OF THIS QUOTATION SHEET.

DATE PRINTED	TERMS OF SALE	SHIP VIA	F.O.B.	FREIGHT TERMS
09/26/13				

REPLY DUE BY: 10/22/13 12:00 O'CLOCK NOON

NEEDED BY DATE	QUANTITY	UNIT	CAT. NO.	ITEM NUMBER	UNIT PRICE	AMOUNT
<p>*** BID RESULTS MAY BE AVAILABLE 30 DAYS AFTER OPENING DATE. IF YOU DESIRE BID RESULTS, PLEASE INCLUDE A SELF ADDRESSED STAMPED ENVELOPE WITH YOUR BID. ***</p> <p>NOTICE RE: ORDINANCE #60643</p> <p>-----</p> <p>A CITY OF ST. LOUIS BUSINESS LICENSE IS REQUIRED IF YOU MEET ANY OF THE FOLLOWING (CHECK AS APPROPRIATE):</p> <p>----- BUSINESS IS LOCATED WITHIN THE CITY LIMITS</p> <p>----- DELIVERY WITHIN CITY LIMITS IS BY COMPANY TRUCK</p> <p>----- SALES CALLS MADE WITHIN THE CITY LIMITS</p> <p>PLEASE TYPE NAME OF CONTACT PERSON FOR THIS BID:</p> <p>NAME: _____</p> <p>FAX: _____</p> <p>E-MAIL: _____</p> <p>.....</p> <p>BIDS WILL BE AWARDED BASED ON OFFICIAL SPECIFICATIONS PROVIDED BY SUPPLY DIVISION ONLY & ANY RELATED ADDENDA. ALL INQUIRIES MUST BE IN WRITING (LETTER/E-MAIL/FAX) TO THE FOLLOWING BUYER:</p> <p>BILL FULKERSON - FULKERSONB@STLOUIS-MO.GOV FAX# 314-622-4141 PHONE# 314-622-4250</p> <p>.....</p> <p>TOTAL →</p>						

NAME OF FIRM	STATE DELIVERY: CALENDAR DAYS	COMPTROLLER	Date
ADDRESS			
CITY	SIGNED BY:	SUPPLY COMMISSIONER	Date
PHONE			
Area Code ()			

Must meet EPA Interim Tier 4/EU Stage IIIB Emissions.

Extendable dipperstick with Auxillary Plumbing for Selective Flow Control Valve. Two lever mechanical backhoe controls. Multipurpose bucket – 96 In. Bucket Width with Two Lift Loops.

AM/FM/WB/CD Stereo with Digital Clock for Cab. Super Grip Stabilizer Pads. Wain Roy Rigid Coupler. With 24" and 42" Digging Buckets with teeth.

Please see following pages of attachment for more detailed specifications.

BACKHOE SPECIFICATIONS—REQUIRED FOR SAFETY AND PERFORMANCE

The following preferred as standard equipment .

If not standard equipment, must be available as no-cost options.

Engine: Minimum of 130 horsepower, 6.8 liter, 415 cubic inch displacement.
Wet sleeve design with six (6) cylinders.

Service brakes to be self-adjusting wet bathed, self-equalizing, multiple discs.

Mechanical front wheel drive with limited slip differential (to create actual 4-wheel drive when engaged).

Front axle with no vent.

Front wheel drive:

Automatically shut off in 4th gear.

Automatically engage when brakes are applied for four (4) wheel braking.

Cab Doors: Right and Left side. Exhaust to be away from either door.

Cab Lights: Minimum of 10 lights. [Four (4) front. Four (4) back. Two on side (dock lights).]

Three year electronic link to service department for servicing alerts.

On-Board Monitor system that gives code alert and a description of the problem.

Park Break: Spring applied, hydraulically released park break that is internal in the rear axle and oil bathed.

Automatically engage when engine turned off.

Self-adjusting, with no service adjusting required.

Must not be able to be "driven through" when engaged.

Boom Lock with heavy duty linkage, with no cable control.

Backhoe with extendable dipperstick extended, to be no less than 26' 8" (26 feet, 8 inches) digging depth.

Extendable dipper minimum 4' 8" (4 feet, 8 inches)

Loader: Breakout force to be not less than 15,500 lbs.

Lift capacity to full height to be no less than 9,270 lbs.

Security: On-Board Security System with keyless ignition and code engage.

Minimum of five (5) separate codes to serve five (5) separate operators.

Ride Control,

Bid specifications for Deere 710K or similar Wheel Loader Backhoe		
Compliance		
Engine		
yes	no	Six cylinder, turbocharged, isolation mounted diesel engine and shall be designed and built by the manufacturer
yes	no	Engine shall be certified to EPA Interim Tier 4/EU Stage IIIB
yes	no	Engine shall have a individually replaceable, wet-sleeve cylinder liner design to dissipate heat for reduced ring wear and oil breakdown.
yes	no	Engine displacement shall be no less than 6.8 liters (414 cu. in.)
yes	no	Engine rated net peak power (ISO9249) shall be no less than 130 hp (97 kW) @ 2000 rpm
yes	no	Engine shall develop at least a 32% torque rise and should have at least 405 lb-ft (550 Nm) net torque at 1300 rpm
yes	no	Daily check points shall be accessible from the right side of the engine and shall be done from ground level
yes	no	Engine shall have a serpentine belt with automatic belt tensioner reducing required maintenance
yes	no	Under-hood engine air cleaner shall be dry type, dual element with evacuator valve, restriction sensor and in-cab restriction warning light
yes	no	The backhoe shall have a tilt hood for easy engine access
yes	no	The backhoe shall have an under hood T4 aftertreatment device and curved-end exhaust stack
yes	no	Engine shall have no more than 3-micron rated primary fuel filter with water separator
Cooling		
yes	no	Engine coolant shall be rated to -40 degrees F (-40 C)
yes	no	The backhoe shall be equipped with an oil-to-water engine oil cooler
yes	no	Unit shall have a coolant recovery tank provided
yes	no	Unit shall have an electronically-controlled, variable rate suction-type fan for reduced Hp draw, reduced fuel consumption and quieter operation
yes	no	Foldout, hinged cooling system for easier access for cleaning. Remote mounted transmission and hydraulic coolers will offer better air exchange and fewer stacked cores.
yes	no	The hydraulic and transmission circuits will be water cooled for fast winter warm-up for increased productivity
yes	no	Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank
Power Train		
yes	no	The transmission shall be powershift with torque converter; clutch-free; fully synchronized four forward, three reverse speeds
yes	no	The axle will be mechanical -front-wheel-drive with traction control limited-slip differential with electric on/off control
yes	no	The front axle will be sealed to protect against contamination
yes	no	The driveshaft will be painted for protection, and will have an optional, factory installed, full guard.
yes	no	The clutch engaged MFWD can be engaged on the fly during operation.
yes	no	The machine will disengage MFWD in 4th gear to allow for longer life of tires and drive train and reduced fuel consumption
yes	no	Machine will automatically engage MFWD when brakes are applied for four wheel braking
yes	no	The transmission shall be isolation mounted to the mainframe to minimize shock load stress
yes	no	The rear axle shall be 100% hydraulically locking
yes	no	The single electric TCL (Transmission Control Lever) will have gear selection fully integrated in the lever
yes	no	Transmission oil cooler shall be provided as standard equipment
yes	no	The operator can enable a differential lock protection in the monitor, which will not allow the differential lock to be engaged above 1000 rpm to prevent damage to components
yes	no	The backhoe shall have hydrostatic power steering with emergency manual mode
yes	no	The machine will have a dial throttle that will allow the operator to road the machine on cruise control. With a tap on the brake pedal, the engine RPMs return to idle.
yes	no	The front axle pivot pin shall have remote grease bank for front axle for easy access.
yes	no	The rear axle bearings shall be self-lubricating and shall not need to be greased
yes	no	The service brakes shall be inboard, wet-multiple disk, self-adjusting and self equalizing and hydraulically actuated for a long and trouble-free life, sealed from water, mud and dust contamination

yes	no	The parking brake shall be independent of service brakes, spring applied, hydraulically released, wet multi-disk, and sealed from water, mud and dust contamination.
yes	no	The backhoe shall come equipped with 21L-28 R-4 (14) tubeless rear tires and 15-19.5 NHS SS-1 12 PR Traction Front Sure Grip Lug tires for MFWD unless otherwise specified.
yes	no	Park brake will automatically apply when engine is shut off
Hydraulic System		
yes	no	Hydraulic cooler will have a dedicated reservoir for continuous running of attachments at extreme temperatures
yes	no	The hydraulic fittings shall have "O"-ring face seal connectors to secure a tight, leak-free seal
yes	no	The hydraulic filter shall be no more than 6 micron and will be vertically mounted, spin on design for ease of installation and leak-free replacement.
yes	no	Machine shall be equipped with Auto Idle to lower rpm when hydraulics are not active to conserve fuel and reduce noise levels
yes	no	Machine shall be equipped with Economy Mode that can be activated in the monitor, to provide the maximum productivity at the maximum fuel efficiency in 1st & 2nd gears
yes	no	The machine will have a customizable AutoShut Down Mode
yes	no	The machine will have Ride Control as base equipment
yes	no	An automatic bucket return-to-dig control will be standard
yes	no	Hydraulic pump shall be 52 gpm (197L/min.) at 2,200 rpm at 3,625 psi (24 993 kPa) axial piston pump, pressure compensating, load sensing
Electrical		
yes	no	The backhoe shall have a 12 volt system with 120 amp alternator
yes	no	Two batteries shall be included with 1900 CCA and 380-min. rated reserve
yes	no	The machine shall have blade type, multi-fused circuits
yes	no	The starter shall have a bypass start safety cover
yes	no	Unit shall be equipped with 10 halogen lights, 4 front driving/working, 4 Rear working, and 2 side docking lights. The front lights shall be adjustable and the bulbs shall be no less than 32,500 candlepower each.
yes	no	Unit shall be equipped with two front and two rear turn signal/flashing and two rear stop and tail lights and two rear reflectors
yes	no	Cab will be pre-wired for rotating beacon and radio-ready
Operator Station		
yes	no	Access to the cab shall be from the right and left side with protected, wide, rigid, self-cleaning, slip-resistant steps and ergonomically located hand-holds
yes	no	A minimum 3" retractable seat belt shall be provided
yes	no	Coat hook, built-in beverage holder, operator manual storage compartment, interior rearview mirror and two 12 volt outlets shall be provided
yes	no	Unit shall be equipped with illuminated electronic gauges with audible warning for engine coolant temperature, oil temperature and fuel level.
yes	no	The monitor system shall have audible and visual warnings: engine air restriction, low alternator voltage, engine oil temperature and pressure, hydraulic filter restriction, parking brake on/off, seat belt and low brake pressure.
yes	no	The machine will have a keyless start
yes	no	The machine will have a sealed switch module that provides controls in a highly durable keypad that is all located in one central location on the right hand console
yes	no	The monitor will have a multi-language (English, French and Spanish) digital monitor for diagnostics (including diagnostic messages and fault code readings), calibrations and machine information.
yes	no	Machine Security code protection system provided through the monitor shall be standard.
yes	no	Unit shall have digital display for: engine rpm, engine hours and system voltage
yes	no	The foot throttle shall be suspended
yes	no	Stabilizer controls shall be easy to reach from both the backhoe and loader seat position
yes	no	The machine will have an optional cab and air conditioner available from the factory.
yes	no	Machine will have lockable storage on the right-hand side of the cab
yes	no	Machine will have the option of additional lockable storage on the left-hand side of the cab
General Specifications		
yes	no	Vandal protection shall cover the instrument panel. Engine hood, toolbox, hydraulic reservoir, and fuel filler shall be lockable.

yes	no	The tilt hood shall have two service positions for easy operation
yes	no	An easy to read periodic maintenance and grease chart shall be posted at eye level prominently displayed on the frame.
yes	no	Fuel tank capacity shall be no less than 69 gallons (261.2 L) and shall be accessible from the ground.
yes	no	Typical operating weight with cab, MFWD, extendable dipperstick and 1,400 lb (635 kg) counterweight with 1.62 cu yd (1.24 cu m) loader bucket and 24-in x 11.1 cu ft (610 mm x .31 cu m) backhoe bucket standard shall be approximately 26,747 lbs (12 130 kg). Excessive weight causes excess wear on transport and towing vehicles and can cause problems in soft ground conditions.
Overall Vehicle		
yes	no	The mainframe shall be a one-piece unitized construction for maximum strength
yes	no	Unit shall have four built-in vehicle tiedowns, two in front and two in rear for safe transport between jobs
yes	no	The side plate thickness on the loader boom, backhoe boom and mainframe shall be 4.5 mil or greater
yes	no	Machine shall be equipped with an exterior mounted, ground level accessed and lockable storage compartment
yes	no	Machine shall be equipped with a telematics system that enables machine monitoring, logistics and remote diagnostics include remote reprogramming
Backhoe		
yes	no	The backhoe with standard dipperstick digging depth shall be at least 17 ft 10 in (5.44 m)
yes	no	The lift capacity at ground level with standard dipperstick shall be no less than 3645 lb (1653 kg)
yes	no	The lift capacity at full height with standard dipperstick shall be no less than 4376 lbs (1985 kg)
yes	no	Optional extendable dipperstick shall extend no less than 4 ft 6 in (1.37 m) and shall be greaseless
yes	no	Digging depth with optional extendable dipperstick extended shall be no less than 22 ft 4 in (6.81 m)
yes	no	The swing lock pin shall be stored in the operator's station
yes	no	The stabilizer valve will be two directional, anti-drift
yes	no	The stabilizer shall have reversible pads
yes	no	The backhoe boom design shall be a power curve for loading into the center of the truckbed.
yes	no	The backhoe boom shall be an hourglass shape for maximum strength and optimized visibility to the work tool.
yes	no	Digging force with standard backhoe. bucket cylinder shall be at least 17,000 lb (75.6 kN)
yes	no	The backhoe shall be equipped with a rubber bumper/linkage style boom locks to keep the backhoe from vibrating on the swing frame
yes	no	The swing casting shall have dual yokes: on top and on the bottom
Loader		
yes	no	Lift Capacity with 1.62 cu yd (1.24 m ³) standard duty bucket at full height shall be at least 9,277 lbs (4212 kg)
yes	no	Dump Clearance with bucket at 45 deg. shall be no less than 9 ft 7 in (2.92 m)
yes	no	Digging depth below ground, 1.62 cu yd (1.24 m ³) standard duty bucket level shall be no less than 4.1 in. (104 mm)
yes	no	Bucket breakout force shall be no less than 15,540 lb (69.1 kN)
yes	no	The loader shall have hydraulic self-leveling and bucket-level indicator.
yes	no	The loader shall have divergent loader arms for excellent visibility to the bucket
yes	no	For truck loading, the loader arms will have a high-knee design
yes	no	The loader control will be single-lever with electric clutch cutoff switch
yes	no	The loader shall have a non-removable, hinged loader boom service lock.

Updated Aug 2012



**CITY OF ST. LOUIS
DEPARTMENT OF FINANCE
OFFICE OF THE SUPPLY COMMISSIONER**

FREDDIE L. DUNLAP
SUPPLY COMMISSIONER

FRANCIS G. SLAY
MAYOR

1200 MARKET STREET
ROOM 324
ST LOUIS, MO 63103-2819
(T): (314) 622-4580
(F): (314) 622-4141

ATTENTION BIDDERS

Please carefully review all information requested in this bid package.

Failure to submit requested samples, literature or any other requested information may result in disqualification of your bid or any portion of your bid.

Also the reasons indicated below may disqualify your bid. If you have any questions, call the buyer indicated in this bid package.

This form must be returned with your bid.

- Two or more bids submitted for one item, unless instructed to do so. (item rejected)
- Signature missing on bid or any required form.
- Buy American Form not completed or returned. (may be rejected)
- M/WBE Form not completed or returned. (may be rejected)
- Altered or erased unit prices must be initialed.
- Faxed bid, unless specifically requested (will be rejected).
- FOR CONTRACTS ONLY: Please provide your DUNS # _____
- FOR CONTRACTS ONLY: Failure to submit required Bond by the date indicated.

I certify that I have read and understand the information above.

Manual Signature

Date

ST. LOUIS DOMESTIC PRODUCTS PROCUREMENT ACT

The City of St. Louis has enacted an ordinance relating to the purchase of domestic products by City government, with penalty provisions. The ordinance amends Section 5.58.010 Revised Code of the City of St. Louis, 1986, as amended by adding thereto new subsections dealing with the requirement that the Supply Commissioner or his designee give preference to goods or commodities manufactured in the United States of America, stating exceptions to said policy. Sections one through six are reprinted below.

Section One. Section 5.58.010 Revised Code of the City of St. Louis is hereby amended by adding the following language: Each solicitation to bid and the method of describing the items to be bid upon of any goods or commodities sought to be purchased by the Office of Supply Commissioner, and any contract entered into by and on behalf of the City of St. Louis and executed by the Mayor and/or the Comptroller of the City of St. Louis wherein the construction, alteration, repair or maintenance of any public works is the subject of the contract so executed, shall contain a provision that the goods or commodities furnished or used in the furtherance of said project by any contractor or subcontractor, manufacturer or supplier as the case may be, shall be manufactured, assembled or produced in the United States, and said requirement as defined above shall be stated in said bid.

Section Two. The provision of Section One of this Ordinance shall not apply in the following instances:

- (i) Where the item purchased as the contract entered into for repairs or renovation is less than One Thousand (\$1,000.00) Dollars.
- (ii) Where no line of a particular good or product is manufactured, assembled or produced in the United States.
- (iii) Where the acquisition of United States manufactured or produced goods would increase the cost by more than (10%) percent.

Section Three. The certificate required by this section shall specify the nature of the contract, the product being purchased or leased, the names and addresses of the United States manufacturers and producers contracted by the Commissioner or the project architect or engineer, and an indication that such manufacturers or producers could not supply sufficient quantities or that the price of the products would increase the cost of the contract by more than ten percent.

Section Four. No public agency may authorize, provide for, or make any payment to any vendor or contractor upon any contract in violation of section 2 of this act. Prior to the awarding of the bid and before any public agency authorizes, provides, or makes payment to any vendor or contractor upon any contract to which section 2 or 6 of this act applies, the vendor or contractor shall provide proof of compliance with section 2, and, if applicable, section 6 of this act. Any vendor or contractor who knowingly misrepresents any material fact to the public agency concerning the origin of any manufactured goods or commodities shall be guilty of a Class A misdemeanor.

Section Five. Sections 1 to 6 of this act shall apply only to contracts and subcontracts entered into after the effective date of this act, and shall not limit the use or supply of manufactured goods or commodities purchased or leased prior to the effective date of this act.

Section Six. Nothing in sections 1 or 6 of this act is intended to contravene any existing treaty, law, agreement, or regulation of the United States. All contracts under section 1 or 6 of this act shall be entered into in accordance with existing treaty, law, agreement, or regulation of the United States including all treaties entered into between foreign countries and the United States regarding export-import restrictions and international trade and shall not be in violation of sections 1 to 6 of this act to the extent of such accordance.

Interpretations and Guidelines

Section One: "Shall be manufactured" is interpreted to mean to make or process a raw material into a finished product or to turn-out in a mechanical manner. "Assembled" is interpreted to mean to fit or to join together the parts, gather, or to congregate in a manufacturing environment. "Produced" is interpreted to mean to create by manual or physical effort, to make or yield to customary product or products.

Section Two (i) This is interpreted to mean less than one thousand dollars in aggregate (total purchases).

(iii) When applying this subsection, multiply the cost of the foreign product by ten percent and compare the cost to the American product. If the American product cost is less than the sum of the cost of the foreign product plus ten percent, the award will be made to the vendor bidding the American product. The price paid by the City of St. Louis will be the actual price bid by the winning bidder.

Section Three: "Could not supply sufficient quantities" is interpreted to mean in order to meet the using agency's delivery schedule and in quantity specified.

Section Four: The vendor's authorized representative must complete a self-certification form, as required by the existing procedures previously indicated. These certification forms will be used to determine whether the manufacturer or producers could, or could not supply sufficient quantities, or the cost of the products would increase the contract by more than ten percent.

Prior to the City awarding the bid, the vendor shall provide certification that the product being bid is manufactured, assembled or produced in the United States or there is an existing treaty, law or regulation whereby the product bid shall be treated the same as product manufactured, assembled or produced in the United States. The procuring agency shall accept the self certification in order to apply the percentage differential that is applicable under this law. Failure to provide certification shall cause the city to presume that such product is not American made and preference shall not be considered for that product.

CERTIFICATION FORM

ST. LOUIS DOMESTIC PRODUCTS PROCUREMENT ACT

(BUY AMERICAN)

Bidders are advised of legislation enacted by the City of St. Louis which requires all manufactured goods or commodities used or supplied in the performance of this contract or any subcontract to be manufactured, assembled or produced in the United States, unless obtaining American made products would increase the cost of this contract by more than ten percent.

Section Four requires the vendor or contractor to certify his compliance with this legislation and if applicable, Section Six, if preference is claimed.

This legislation does not apply if the total bid is less than one thousand dollars (\$1,000.00).

Bids received will be evaluated on the basis of this legislation. Certificates of compliance must be completed and returned to be considered for preference. Failure to provide certification shall cause the City to presume that such product is not American made.

☐

CERTIFICATION

If **all** the specified goods or products are manufactured, assembled or produced in the United States, check box at left and complete certification at the bottom of this form.

☐

SECTION SIX CERTIFICATION

If any or all of the specified goods or products are manufactured, assembled or produced in a country other than the "United States", and exemption is requested because such product is Fair Trade Product: (a) list the country, other than the United States, where each good or product you propose to furnish is manufactured, assembled or produced; (b) check box at left of this paragraph and list corresponding commodities and (c) complete Section Six Documentation portion below.

Item Number(s)

Location Where Item Manufactured, Assembled or Produced

☐

SECTION SIX DOCUMENTATION

The specified goods or products are treated as manufactured, assembled or produced in the United States under an existing treaty, law, agreement or regulation of the United States regarding export-import restrictions and international trade. List item Number(s) and Treaties covering item below.

DEFINITIONS

MANUFACTURED - to make or process a raw material into a finished product; create, or to produce or to turn-out in a mechanical manner.

ASSEMBLED - to fit or join together the parts in a manufacturing environment.

PRODUCED - create by manual or physical effort, to make or yield the customary product or products.

MUST BE COMPLETED AND SIGNED

I hereby certify that the above information is true and correct and further certify that this statement complies with all provisions of Section 5.58.010 Revised Code of the City of St. Louis, 1985, as amended.

FIRM NAME: _____

ADDRESS: _____

CITY: _____ **STATE:** _____ **ZIP:** _____

BY: _____

(SIGNATURE and TITLE)

**CITY OF ST. LOUIS / SUPPLY DIVISION
MINORITY / WOMEN BUSINESS ENTERPRISES FORM
(M/WBE FORM)**

A. Mayor's Executive Order #28, Section Six - Supply Contracts

1. The goal of the City of St. Louis is that 25% of the value of all contracts let and purchases made by the Supply Commissioner shall be let or made with Minority Business Enterprises (MBEs) and that 5% of the value of all contracts let and purchases made by the Supply Commissioner shall be let or made with Women's Business Enterprises (WBEs).
2. All contracts let by the Supply Division for the purchase or lease of materials, equipment, supplies, commodities or services, the estimated cost of which exceeds \$500, shall be subject to this goal.
3. The methods by which the Supply Commissioner shall pursue this goal shall include but not be limited to the following:
 - a. The Supply Commissioner shall solicit bids from minority business enterprises and women's business enterprises certified to supply the required materials, equipment, supplies or services;
 - b. St. Louis Airport Authority (SLAA) shall provide the Supply Commissioner with a list of minority business enterprises and women's business enterprises qualified to provide each of those commodities that the Supply Commissioner indicates are required by the City;
 - c. The Supply Commissioner shall notify SLAA prior to solicitation of bids whenever no such qualified businesses are available;
 - d. SLAA shall attempt to identify such qualified businesses, and if successful, shall notify the Supply Commissioner of their availability; and
 - e. The Supply Commissioner shall provide such minority business enterprises and women's business enterprises every practical opportunity to submit bids.
4. Joint ventures or mentor-protégé relationships between prime contractors and subcontractors with local MBE and WBE firms are encouraged.
5. Participation of MBE and WBE firms located outside the St. Louis Metropolitan Statistical Area (SMSA) shall not count toward the goals established in this order.

B. SUPPLY DIVISION POLICY

It is the policy of the Supply Division that all bids/contracts awarded adhere to the Mayor's Executive Order #28. All vendors are encouraged to comply with this policy and all other provisions of Executive Order #28. A copy of Executive Order #28 is available upon request. Each Vendor/Contractor (bidder) must complete, sign and return this M/WBE Form. Failure to complete, sign and return the M/WBE Form will result in the bid being declared non responsive and your bid may be eliminated.

C. OBLIGATION

The bidder agrees to make a good faith effort to ensure that M/WBE businesses have an opportunity to participate in the performance of contracts or subcontracts financed in whole or in part with City funds. The bidder will take all necessary and reasonable steps to ensure that said businesses have an opportunity to compete for and perform under this bid/contract. The bidder shall not discriminate on the basis of race, color, national origin or sex in the award and performance of bids/contracts. To request a Directory of Disadvantaged, Minority and Women Owned Business Enterprises certified by the City of St. Louis, contact Ms. Jackie Taylor, Certification Manager, at (314) 551-5002. Certified businesses can be viewed at www.mwdbe.org.

**CITY OF ST. LOUIS / SUPPLY DIVISION
MINORITY/WOMEN BUSINESS ENTERPRISES FORM
(M/WBE FORM)**

D. BID/CONTRACT IDENTIFICATION

Bid #: _____ **or Contract Name:** _____

Opening Date: _____ **Your Bid Total: \$** _____

If your bid is \$500 or higher, please complete Section 'E'. We are NOT requesting information on how your company currently supports M/WBE suppliers. We want to know if there are opportunities you might consider to work with M/WBE suppliers for THIS SPECIFIC bid/contract.

E. ASSURANCE MBE/WBE Goal: 25% MBE and 5% WBE (Minimum Participation)

I, acting in my capacity as an officer of the undersigned bidder(s) if a joint venture, hereby assure the City of St. Louis that on this bid/contract my company will: **(CHECK ONLY ONE)**

☐ **Meet or exceed the M/WBE goal with: _____% MBE and _____% WBE Participation**

Proposed MBE Vendor Name: _____ Amount \$ _____

Item or materials to be supplied by MBE Vendor: _____

Proposed WBE Vendor Name: _____ Amount\$ _____

Item or materials to be supplied by WBE Vendor: _____

☐ **Fail to meet the M/WBE goal, but made a good faith effort to meet the goals as follows:**

_____ % MBE and _____ % WBE Participation (Enter Proposed Vendor information above.)

☐ **Not meet the M/WBE goal for the following reasons(s): (Check All That Apply)**

<input type="checkbox"/>	Our Company is an MBE certified by the State of: _____
<input type="checkbox"/>	Our Company is a WBE certified by the State of: _____
<input type="checkbox"/>	We have contacted suppliers listed in the SLAA Directory but have received no reply
<input type="checkbox"/>	There are no subcontracting opportunities for this bid/contract
<input type="checkbox"/>	We are a Dealer and the order will be drop-shipped from the manufacturer to the user
<input type="checkbox"/>	We are the manufacturer and the order will be drop-shipped from the factory to the user
<input type="checkbox"/>	A letter of explanation is attached
<input type="checkbox"/>	Other reason: _____ _____

FIRM NAME: _____

FEDERAL ID NUMBER: _____

SIGNATURE: _____

FAX NUMBER: _____

PRINTED NAME: _____

DATE: _____

TITLE: _____

E-MAIL: _____

ORDINANCE #69431
Board Bill No. 295
Committee Substitute
As Amended

An Ordinance repealing Section One, part 86.040 of Ordinance 56716, pertaining to the opening of bids, codified as Section 5.58.040 of the Revised Code of the City of St. Louis, and enacting a new provision on the same subject matter which allows a local bidder to match the lowest bid when the lowest bid is from a non-local bidder; enacting a new provision on the same subject matter; containing severability clause.

WHEREAS, local businesses which seek to enter into contracts with the City of St. Louis are at a competitive disadvantage with businesses from other areas because of the higher administrative costs of doing business in the City;

WHEREAS, the City of St. Louis desires to encourage businesses to remain in the City and to relocate to the City;

WHEREAS, by enacting a local preference law that allows a local firm to match the lowest bid when its bid is within 2% percent of the lowest bid, the City hopes to encourage and stimulate local business.

BE IT ORDAINED BY THE CITY OF ST. LOUIS AS FOLLOWS:

SECTION ONE. Section One, part 86.040, Ordinance 56716 is hereby repealed.

SECTION TWO. Enacted in lieu thereof is the following new section.

5.58.040 - Opening of bids.

A. Proposals shall be opened at the time and place fixed by the advertisement, in the presence of such bidders as desire to be present, and shall be open to the inspection of bidders.

B. The bids shall not be materially modified or amended as to price, specification or otherwise, nor substitutions placed thereon, after opening except when the lowest bid is from a non-local bidder. When the lowest bid is from a non-local bidder, any local bidder within two percent of the lowest bid may match the lowest bid. If a local bidder matches the lowest bid, then the Supply Commissioner may select the bid from the local bidder. If more than one local bidder is within two percent of the lowest bid, then only the lowest local bidder may match the bid. In all other circumstances, modification, supplementation or amendment shall cause rejection of the bid. For purposes of this chapter, local bidder means a bidder whose principal place of business is within the City of St. Louis, has had a valid business license for at least one year, and is current in payment of local taxes. Principal place of business shall be defined as the business's physical office, plant, or site where a majority (51%) of the full-time employees, chief officer, and managers of the business regularly work and conduct business, or where the plant or office and equipment required for the furnishing of the goods or performance of the services provided to the City, as required by the contract, are physically located in the City of St. Louis for at least one taxable year immediately prior to the date of the bid.

C. Bids may be for one or more or all the articles advertised for, but there shall be a specific bid on each article. The award may be made to the lowest bidder for any article, or to the lowest bidder for the entire requisition or any part thereof, but the Board of Standardization may reject any or all bids or any part of any bid.

SECTION THREE. Severability.

The provisions of this section are severable. If any provision of this ordinance is declared invalid, that invalidity shall not affect other provisions of the ordinance which can be given effect without the invalid provision.

Approved: April 29, 2013

CITY OF ST LOUIS, MISSOURI
INSTRUCTION TO BIDDERS (for request for quotations - RFQs)

VENDORS SHOULD CAREFULLY READ THE FOLLOWING INSTRUCTIONS AND TERMS AND CONDITIONS, BEFORE SUBMITTING QUOTATION. **CAUTION: THIS IS NOT AN ORDER**

- Quotations will only be accepted on this form which must be returned in a **sealed envelope**. *The upper left corner of the envelope must include the following information: Vendor Name, Quotation Number and the Due By Date.* This information is also required on any mail delivered next day or overnight.
- Quotations should be typewritten or in ink. Altered or erased unit price(s) must be initialed. One copy of Quotation Sheet must be submitted, please retain a copy for your files.
- The Supply Commissioner reserves the right to reject any or all bids.
- The Supply Commissioner reserves the right to make awards on an item basis or on a total basis.
- Bidders must quote Unit Price(s) and Extension on each item. When an error appears on an extension, the Unit Price(s) will govern.
- When Quotation Sheet requests item(s) by brand name and your quote is for an alternate brand – show brand name(s) with model number(s) and attach full specifications.
- When Quotation Sheet has only a general description(s) of item(s) required – show brand name with model number(s) and attach full specifications.
- Suppliers shall not offer more than one bid on each item. Two or more quotations on the same item may cause a rejection of the bid. Suppliers must determine which one of their many styles or types fully meet the specification.
- Freight or delivery charges must be included in quote, or shown separately on quote, so bid can be evaluated.
- **Bids must arrive no later than NOON** on the date stated or will be rejected. Faxed or E-mailed bids are not accepted unless specifically requested.
- Bids will be publicly opened on the date specified beginning at NOON.
- Prices quoted will be considered firm.
- Bids having an acceptance limit of less than 30 days after opening date may be rejected.
- Time of proposed delivery must be stated in definite terms.
- Failure of Bidder to understand the item(s) requested or any part of the specifications will not be a valid reason for bidding on the wrong item(s). Any questions regarding description of item(s) requested should be cleared with the Buyer listed in the bid document.
- **Samples** when requested must be delivered before actual time of bid opening with each sample plainly tagged showing the name of Bidder, Quotation Number, Brand Name and lot number or quality. Submission of samples does not relieve bidder from meeting the specifications as outlined in the Bid Documents unless the bidder specifically states they are bidding on an alternate.
- All samples are to be submitted to the address listed below unless otherwise stated in Bid Documents.
- Deliveries must be accompanied by a packing slip or invoice, listing the Department, Quotation Number, and the exact quantities of each item included in the shipment.
- ONLY U.S.P., N.F., OR N.N.D. DRUGS ARE ACCEPTABLE. ALL DRUGS MUST COME IN MANUFACTURER'S ORIGINAL PACKAGES, PROPERLY SEALED.
- In the event the successful bidder fails to make delivery of any item or items that meet the conditions and requirements as outlined in this proposal within 7 days of time stated by bidder on face of this quotation sheet, the City reserves the right to purchase said item or items on the "OPEN MARKET" and charge any costs above the BID PRICE to the bidder.
- The laws of the State of Missouri provide that the City of St. Louis pay no State Sales or Use Tax or Federal Excise Taxes and these taxes should be excluded from your bid price. Federal Excise Tax Exemption Certificates will be furnished to successful bidder.
- Suppliers shall save harmless the City of St. Louis from the payment of any and all claims or demands arising out of any infringement, alleged infringement, or use of any patent or patented device, article, system, arrangement, material or process used by him in the execution of this contract.
- Supply Division hours are Monday through Friday – 8:00 A.M. to 5:00 P.M. Main Number: 314-622-4580.

All bids must be submitted in a SEALED ENVELOPE and mailed to:

SUPPLY COMMISSIONER
1200 MARKET ST RM 324
ST LOUIS MO 63103-2842